

**OFFICE OF THE CHIEF DISTRICT MEDICAL &PHO
KHORDHA**

Tel / Fax:

E-mail: nhmkhordha@gmail.com

Tender Reference No. 944 /CDM&PHO/2020-21

**TENDER DOCUMENT
FOR
EQUIPMENT, INSTRUMENT FOR HWC
*(RATE CONTRACT TENDER)***

OFFICE OF THE CHIEF DISTRICT MEDICAL & PHO, KHORDHA
e-mail: nhmkhordha@gmail.com

SECTION -I

NOTICE INVITING TENDER

Tender Reference No.

Dated:

TENDERS ARE INVITED FROM ELIGIBLE BIDDERS AS PER THE ELIGIBILITY CRITERIA FOR
SUPPLY OF EQUIPMENT, INSTRUMENT FOR HWC.

1	Period of Availability of Tender Document	From 21/01/2021 to 10/02/2021 (Downloadable from website: www.khordha.nic.in) In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the above mentioned website before last date of submission of tender document and the tender inviting authority shall have no responsibility for any delay / omission on part of the bidder.
2	Last date & time for submission of Tender	Date: 10/02/2021, Time: 4.00 PM Address of Submission of Bid: The Chief District Medical Officer, O/o CDM&PHO, KHORDHA <i>(Through Speed post / Registered post)</i>
3	Date, time and place of opening of Tender	a) Technical Bid (Cover A) opening: 11/02/2021, 11.30AM at the address mentioned above. b) Financial Bid (Cover B): <i>The date of opening of financial bid will be intimated to the firms found successful in the technical bid evaluation.</i> <i>(Venue is mentioned at the address mentioned above)</i> (Bidders / authorized representative may remain present at the time of opening of bid)

Sd/-
Chief District Medical &PHO
Khordha

12

SECTION -II

IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS

1.	Mode of Procurement	This is a Rate contract Tender, the rate of which will be valid for a period of one year from the date of finalization of rate contract. However, the approx. quantity requirement is mentioned in the Schedule of Requirement – Section IV.
2.	Purchaser	Chief District Medical &PHO,Khordha
3.	Consignee	Chief District Medical &PHO,Khordha
4.	Delivery Period	Within 15 days from issue of the purchase order at the consignee point.
5.	Mode of Delivery	By Air / Road / Rail
6.	Tender Document Cost	Rs. 1,000/- . The tender document cost is to be submitted in the shape of bank draft in favour of ZSS Non NRHM, Khordha from any Nationalized / Scheduled Bank payable at KHORDHA.
7.	Earnest Money Deposit (EMD)	The Earnest Money an amount of Rs 5000/- (Five thousand) only Deposit will be paid in the shape of demand Draft only in favour of ZSS Non NRHM, Khordha from any Nationalized / Scheduled Bank payable at KHORDHA.
8.	Performance Security	The selected firm should submit the performance security in shape of Bank Draft /Bank Guarantee, equal to the amount of 10 % of the purchase order value (excluding the tax & CMC cost) of the items within 21 days of issue of the purchase order & the same will be returned back after completion of warranty period. The performance security shall be furnished in the shape of demand Draft only in favour ZSS Non NRHM KHORDHA, Khordha , from any Nationalized / Scheduled Bank payable at KHORDHA.. After getting the purchase order.
9.	Pre-qualification (Eligibility Criteria)	Authorized distributors on behalf of the manufacturer are eligible to participate in the tender provided: <ul style="list-style-type: none"> (i) They should have annual average turnover of Rs.1Crore or more in the last three (3) financial years certified by the Chartered Accountant as per the format at Annexure VI. (ii) In addition to this, the distributor shall also submit the average annual turnover of the manufacturer/importer of the item(s) as mentioned in A (v) above. (iii) They should submit manufacturer's authorization to transact business on behalf of the manufacturer as per the format at Annexure - V. iv) The authorized distributor will submit following documents in support of the manufacturer along with the tender :Valid ISO certificate/Valid ISI / CE / IEC certificates of the manufacturer as per technical specification <p>B. The tenderer if blacklisted either by the Tender inviting authority or by any state Govt. or Central Govt. organization for the quoted item is not eligible to participate in the tender during the period of blacklisting.</p>

SECTION -III

TERMS AND CONDITIONS FOR SUPPLY OF EQUIPMENT, INSTRUMENT FOR HWC

- 1.1 Sealed tenders will be received till Dt. **10/02/2021 upto 04.00 PM** by the office of the Chief District Medical & PHO, KHORDHA. Any tender received after the due date & time will be rejected / returned to the sender unopened. **The tenders will be received through Regd. Post / Speed Post/ Courier only.**
- 1.2 The bidder(s) are to submit their tenders in **separate** sealed covered envelopes for **technical bid** and **commercial bid** by superscribing **Cover "A" (Technical Bid) & Cover "B" (Price Bid)** and both the sealed covers should be put into a **third outer Cover**, which should be superscribed as "Tender for **SUPPLY OF EQUIPMENT, INSTRUMENT FOR HWC & Tender Reference No. 944**".
- 1.3 The Sealed tenders "Cover A" (Technical Bid) submitted by the tenderers will be opened at the office of the Chief District Medical & PHO, KHORDHA at **11.30AM on 11/02/2021**. The tenderer or their duly authorized representatives are allowed to be present during the opening of the tenders if they so like.

ELIGIBILITY CRITERIA

- 2.1 Authorized distributors are eligible to participate in the tender provided:
- (i) They submit manufacturer's authorization from original item manufacturer (OEM) as per the format at **Annexure - V**.
 - (ii) They should have Proof of Average annual turnover of **Rs.1 crore or more** in last three (3) financial years in India (as per Annexure VI)
 - (iii) The authorized distributor will submit the following documents in support of the manufacturer along with the tender:
 - a) Valid ISO certificate
 - b) CE / IEC certificates of the manufacturer as per technical specification.

- 2.2 The tenderer have to submit the EMD(s) as mentioned in **Clause 8 of Section -II** & the Tender document cost.

DOCUMENTS TO BE SUBMITTED

The following documents should be enclosed in Cover "A" (Technical Bid) by the tenderer.

All the photocopies are to be attested by a Notary Public / Gazetted Officer.

TECHNICAL BID:

- 3.1 Checklist with detail of the documents enclosed in Cover "A" (as per **Annexure - I**) with **page number**. The documents should be *serially arranged* as per this **Annexure - I** and should be securely tied and bound.
- 3.2 List of Item (s) Quoted with name of the Make & Model of the item (s) (**Annexure – II**)
- 3.3 Tender document fee of Rs.1,000/-(One Thousand) in shape of Demand Draft .
- 3.4 Earnest Money Deposit(s) as mentioned in the **Clause 8 of Section -II** in shape of Demand Draft). Details of EMD and the name of the item quoted should be clearly mentioned.
- 3.5 Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor / service centre / contract person / office in Odisha (**Annexure - III**).
- 3.6 The declaration form in **Annexure - IV** duly signed by the tenderer before Notary Public / Executive Magistrate.
- 3.7 Manufacturer's Authorization Format in **Annexure –V** (In case the bidder is not the manufacturer). Importers are also required to furnish the authorization from the manufacturer.
- 3.8 Certificate duly filled by the Auditor / Chartered Accountant (as per **Annexure –VI**) that the annual average turnover of Rs. 1 Crore or more in the last 3 (three) financial years (for bidders who are authorized distributors of the manufacturer)

- 3.9 Deviation/No Deviation Statement from Technical Specification & details of technical specification of the product (**Annexure-VIIIA & B**)
 - 3.10 Leaflet/Technical Brochures of the product/item offered.
 - 3.11 Copy of Import License by the Importer (in case of Importer). =
 - 3.12 Copy of Valid ISO certificate.
 - 3.13 Copy of Valid ISI / CE /US FDA certificate (as per Section V - Technical Specification).
 - 3.14 Copy of Certificate in support of IEC certificate (as per Section V-Technical Specification).
 - 3.15 Copy of the **GST** certificate.
 - 3.16 The Original Tender Booklet with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
 - 3.17 Certificate in support of service center in Odisha or undertaking to set up service center in Odisha within one month from the date of installation if approved (for those who have no service centers in Odisha).
 - 3.18 Copy of last three Years Income Tax Return.(FY 2016-17, 2017-18, 2018-19)
 - 3.19 Copy of PAN card.
 - 3.20 Made with high quality surgical grade Stainless Steel, company name engraved on each instruments
- N.B:** Valid means the certificate should be valid on or beyond the date of opening of tender (Cover-A).
- =

h

COVER – B (PRICE BID)

4. The price to be quoted for EQUIPMENT, INSTRUMENT FOR HWC should be sent in the prescribed price format in a separate sealed cover hereafter called **Cover “B” (Price Bid)**.

Cover –B (Price Bid) of the tenderers who qualify in it’s Technical Bid (Cover – A) and complies to tender specification & find to be as per technical specification and Product demonstration will only be opened .

- 4.1 The tender format (Price Schedule) in duplicate in the prescribed form (as per **Annexure – IX**), must be submitted in Cover-B. The price of the item should be quoted inclusive of excise duty, insurance, packing, forwarding, freight (door delivery) The price of turnkey job (accessories if any for installation), sales tax / GST and entry tax charges (if any) should be quoted in a separate column. The rate should be quoted for *each item* both in figures and words. **In case of difference in words and figures, words will be taken into consideration for evaluation.**

- 4.2 The Cover “B” of tenderers who qualifies in their technical bid, will only be opened at the office of the Chief District Medical &PHO, KHORDHA at a date & time which will be intimated to them by CDM&PHO-KHORDHA..

REJECTION OF TENDER

5. The tender submitted by the bidder will be rejected, if any of the following documents are wanting / not submitted with the tender:
- (i) Manufacturer’s authorization in case of distributor/importer
 - (ii) Earnest Money Deposit (EMD).
 - (iii) Annual average turnover of Rs. 1 Crore or more in the last 3 (three) financial years (for bidders who are authorized distributors of the manufacturer) as per Annexure –VI. In case of authorized distributor, they will have to furnish along with their own turnover the Annual Average turnover statement as per Annexure–VI from the Manufacture/Importer of the item(s) as mentioned above.
 - (iv) Valid ISO certificate of Manufacturer

h /

- (v) Valid ISI / CE / certificate of the manufacturer as per Section VI = Technical Specification.
- (vi) IEC Certificate of the manufacturer as per as per Section VI – Technical Specification.
- (vii) Major deviations from the technical specification of the item(s) as per tender.
- (viii) Price bid / quoted rate with signature and seal (Hard Copy).

EARNEST MONEY DEPOSIT

- 6.1 The amount of Earnest Money Deposit required is mentioned in the Section-II. The Earnest Money Deposit will be submitted in the shape of **demand Draft only** in favour of **ZSS Non NRHM, Khordha** from any Nationalized / Scheduled Bank payable at KHORDHA.
- 6.2 The EMD of the unsuccessful tenderers will be returned back without interest after placement of purchase order to the successful tenderer and EMD of successful tenderer will be returned after submission of performance security (ies).
- 6.3 The EMD will be forfeited if the tenderer withdraws its tender / furnish forged documents which is found during bid evaluation OR doesn't sign the contract / doesn't furnish performance security / doesn't supply the items (in case of successful bidder) within the stipulated time period. =

PERFORMANCE SECURITY & AGREEMENT

- 7.1 The performance Security should be submitted in shape of Bank Draft from a Nationalized / Scheduled Bank in favour of the **ZSS Non-NRHM, Khordha** (In case supply of Equipment) equal to the amount of 10% of the purchase order value of the item (excluding cost of taxes) within 21 days of issue of the purchase order. The same will refund without interest after one year.
- 7.2 The agreement (**as per Annexure – X**) will be signed between the supplier and the purchaser and will be kept by the purchaser. =
- 7.4 Security money will be forfeited if there is any violation of the tender terms and conditions.

TENDER CONDITIONS:

- 8.1 The details of the EQUIPMENT, INSTRUMENT & FURNITURE with specifications are mentioned in Section VI. **The firm must clearly mention their specification, special features, upgraded version (if any), detail technical catalogue of the offered model in their tender.**
- 8.2 Tenders should be typewritten or computerized and every correction in the tender should invariably be attested with signature by the tenderer with date before submission, failing which the tender will be ineligible for further consideration.
- 8.3 Rates inclusive of all taxes, packing, forwarding, insurance, transportation charges with 2 years onsite comprehensive warranty and exclusive of GST & Entry Tax should *be quoted for the ZSS NRHM, Khordha (Item wise) on door delivery basis. The turnkey job (cost of accessories if any required for Installation/Commissioning) & GST & Entry Tax should be mentioned in separate columns.* The rates quoted should be in **Indian Rupees only**. Rates quoted in any other currency will not be accepted.
- 8.4 The purchaser shall be responsible only after delivery and due verification, installation and commissioning of the item.
- 8.5 The rate per unit shall not vary with the quantum of order placed for destination point.
- 8.6 If there is difference between figures & words, words will be taken into consideration.
- 8.7 In the event of the date being declared as a holiday by Govt. of Odisha, the due date of sale, submission of bids and opening of bids will be the following working day at the scheduled place & time.
- 8.8 The price quoted by the tenderers shall not in any case, exceed the controlled price, if any, fixed by the Central / State Government / DGS&D and the Maximum Retail Price (MRP). The purchaser, at his discretion, will in such case, exercise the right of revising the price at any stage so as to confirm to the controlled price or MRP as the case may be.

- 8.9 The rate quoted and accepted will be binding on the tenderer for a period of **one year** from the date of approval of the rate contract and on no account, any increase in the price will be entertained till the completion of this tender period.
- 8.10 No tenderer shall be allowed at any time on any ground whatsoever to claim revision of or modification in the rate quoted by him. Clerical error / typographical error, etc. committed by the tenderers in the tender forms shall not be considered after opening of tenders. Conditions such as “ **SUBJECT TO AVAILABILITY**” / “**SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED**” etc., will not be considered under any circumstance and the tenders of those who have given such conditions shall be treated as incomplete and for that reason, shall be rejected.
- 8.11 If at any time during the period of rate contract, the price of tendered item is reduced or brought down by any law or act of the Central or State Government or the tenderer, the tenderer shall be morally and statutorily bound to inform the purchaser immediately about such reduction in the contracted price. The purchaser is empowered to unilaterally effect such reduction in rate, in case the tenderer fails to notify or fails to agree for such reduction of rate.
- 8.12 Approved rate with terms, conditions & the quoted price of the tender shall remain valid for a period of 12 months from the date of approval of the rate contract.
- 8.13 If the relevant documents / certificates which are required to be furnished along with the tender are written in language other than English, the tendering firm shall furnish English version of such documents / certificates duly attested by a Gazetted Officer / Notary with his seal and signature.
- 8.14 If any information or documents furnished by the tenderer with the tender papers are found to be misleading or incorrect at any stage the tender of the relevant items in the approved list shall be cancelled and steps will be taken to blacklist the said firm for three (3) years.
- 8.15 Rate should be quoted in Indian Currency, both in words and figures against each item as the payments will be made in Indian currencies only (Annexure-IX). The tenderer shall not quote the rate for any item other than the item specified in the list. (**Section V – Schedule of Requirement**).

- 8.16 Both Cover-A and Cover-B should have an **index and page number** of all the documents submitted inside that cover.
- 8.17 The Tax will be charged as per the guidelines given by the Finance Dept., Govt. of Odisha from time to time.
- 8.18 The requirement of items may increase or decrease depending on the situation.

PACKAGING:

- 9.1 All the packaging should be New. The supplier shall provide such packaging of the goods as is required to prevent their damage or deterioration during transit to their final destination. The packaging shall be sufficient to withstand without any limitation including rough handling during transit, exposure to extreme temperature, salt and precipitation during transit and upon storage.

TURNKEY:

- 10.1 The room/ space will be provided by the purchaser .Fittings and accessories if any required for installation & commissioning will be provided by the supplier without any extra cost (apart from the cost mentioned under turnkey in the Price schedule which should include the cost of all such requirement).

COMPREHENSIVE WARRANTY & CMC:

(Undertaking as per Annexure – XI & XII)

- 11.1 The comprehensive warranty will remain valid for 2 years from the date of installation & commissioning of the item. The original copy of warranty documents will be submitted to the purchaser at the time of installation.
- 11.2 The warranty will cover **all the parts of the item and any replacement or repair required** within the warranty period will be provided by the supplier free of cost at the destination point (installation point). The supplier will take back the replaced parts / goods at the time of their replacement. No claim whatsoever shall be on the purchaser for the replaced parts / goods thereafter. No traveling allowances or transportation cost will be paid by the purchaser during the warranty period.
- 11.3 The Supplier shall warrant that the Goods supplied under this contract are new, unused, and incorporate all recent improvements in design and materials. The Supplier shall further warrant that all Goods supplied under this contract shall

have no defect arising from design, materials or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the place of final destination.

11.4 **CMC:** Not Applicable.

11.5 The selected firm should have a service centre in Odisha. =

11.6 All the warranty certificates must be handed over to the consignee after installation.

TRAINING & OPERATIONAL MANUAL:

12.1 Not Applicable

12.2 Not Applicable.

UPTIME GUARANTEE:

13.1 **UP-TIME BALANCE:**

Any uptime less than the specified period above will be compensated by the Supplier(s) by extending the warranty period. The consignee shall maintain a logbook in the format provided by the Supplier(s) which will indicate usage of the item every day and for calculation of up-time.

DOWNTIME PENALTY CLAUSE:

14.1 The principals or their agents are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.

SPARE PARTS:

15.1 Not Applicable =

6

LABELLING:

- 16.1 The item supplied must be properly labelled with Sl. No., Model Name, Make & year of Manufacture

ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:

- 17.1 The Purchaser reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- 17.2 The Purchaser will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- 17.3 The **supply should be completed within 15 days** from the date of issue of purchase order, unless otherwise specified. If no supply is received even after 58 days with liquidated damage from the date of issue of the purchase orders, such orders will stand cancelled automatically without further notice. Penalties shall also thereafter be applied to the tenderer as specified in clause no. 21.1 to 21.2. The approved firm shall also suffer forfeiture of the EMD and Performance Security Deposit.
- 17.4 The tender inviting authority or his authorized representative (s) has the right to inspect the factory of those company who have quoted for the tender, before accepting the rate quoted by them or before releasing any purchase order (s) or at any point of time during the validity period of tender and has also the right to reject the tender or terminate / cancel the orders issued or not to reorder based on the facts brought out during such inspections.

EVALUATION:

- 18.1 The price bid of the tenders who qualify in the technical bid fulfilling the eligibility criteria and complying to the technical specification shall only be opened.
- 18.2 The tender inviting authority may ask for demonstration of the item by the bidders at the premises of the tender inviting authority as a part of the technical

evaluation before opening of price bid in order to verify the compliance to technical specification.

18.3 The rates of the item quoted by the tenderer who qualify technically will be evaluated after taking the following points into consideration: -

- a) Rate of the EQUIPMENT, INSTRUMENT FOR HWC will be taken after inclusion of the GST, transportation, insurance, packing & cost of turnkey (cost of accessories if any for installation/commissioning) but excluding GST & ET.
- b) The cost of the EQUIPMENT, INSTRUMENT FOR HWC (excise duty / customs duty, transportation, insurance, packing & forwarding but excluding GST & ET), cost of turnkey (cost of accessories if any for Installation & Commissioning with all taxes for turnkeys) will be added for evaluation.

LIQUIDATED DAMAGE:

- 19.1 The CDM&PHO.-KHORDHA may allow extension for a maximum period of 4 (four) weeks (28 days), after the stipulated date of supply (i.e. 15 days) with a penalty of 0.5% which will be deducted from the purchase order value as "Liquidated Damage", for each week (7 days) of delay upto a maximum 2% on the value of the goods.
- 19.2 If the supplier fails to complete the supply within the extended period, i.e. 45 days after being allowed by the purchaser, no further purchase order will be placed to the firm for the said item including forfeiture of the Performance security and the concerned firm will be blacklisted for two (2) years from the date of issue of letter for the said item.

TERMS OF PAYMENT:

- 20.1 No advance payments towards cost of EQUIPMENT, INSTRUMENT FOR HWC or turnkey job will be made to the tenderer.
- 20.2 90% of the cost of the item (excluding CMC Cost) + 100% turnkey job + 100% tax shall be paid to the supplier on receipt of the stock entry certificate, installation and demonstration of the item from the consignee. The balance 10% of the payment of item will only be made after receipt of certificate on

working status of the item from the consignee after 6 weeks of installation and commissioning of the item for which, the supplier has to raise two bills (A) one for 90% of the cost of the item + 100% turnkey job + 100% taxes (B) the other for balance 10% of the cost of the item.

- 20.3 Payments as mentioned above will only be made after keeping the **performance security deposit** from the supplier as per clause no. 7.1. if they have not deposited the same before. Payment will only be made after ensuring signing of the Agreement, undertaking and handing over of warranty papers of item and turnkey jobs by the supplier to the purchaser.
- 20.4 No claims shall be made against the purchaser in respect of interest on earnest money deposit or performance security deposit or any delayed payment or any other deposit.
- 20.5 Payments in shape of Draft / Pay Order will preferably be despatched to the supplier by Registered post with A.D or e-payment / on-line transfer or may be handed over to the authorized person of the supplier.

PENALTIES:

- 21.1 If the successful tenderer fails to deposit the required performance security within the time specified or withdraws his tender after acceptance of his tender owing to any other reasons or unable to undertake the contract, his contract will be cancelled and the earnest money deposit / performance security deposit shall stand forfeited by the purchaser.
- 21.2 Violating the tender terms and conditions & non supply / supply which is not as per technical specification will disqualify the firm to participate in the tender for a period of 2 (two) years from the date of issue of letter and his E.M.D & performance security deposit will be forfeited and no further purchase order will be placed to that firm for that item.
- 21.3 In the event of any dispute arising out of the tender, such disputes would be subject to the jurisdiction of the Civil Court of the concerned District or High Court of Odisha.

INSPECTION/TESTING:

22.1 The selected supplier shall have to arrange for demonstration of the item at the supply point. The purchaser or its nominated representative(s) shall inspect and test the items at the supply point to check their conformity to the specifications and other details incorporated in the contract.

CONDITIONS APPLICABLE TO LOCAL MSEs / SSI OF ODISHA:

The MSE / SSI Units of the State of Odisha will be given the following preferences in the tenders provided they produce the following documents as per MSME Development Policy-2009 and IRP - 2007:

- 23.1 Attested copy of valid manufacturing licence.
- 23.2 P.M.T Certificate from the Director of Industries, Odisha or General Manager District Industries Centre that it is a MSE / SSI Units of the State of Odisha, provided that MSE / SSI units has not been derecognised by the Govt. for that specified period.
- 23.3 Local Micro & Small Scale Enterprises (MSE) and Khadi & Village industrial units including handloom and handicrafts will enjoy a price preference of 10% vis-à-vis over local medium and large industries as well as industries outside the State. Local Micro & Small Scale Enterprises having ISO, ISI Certification for their product shall get an additional price preference of 3% as per provision of IPR-2007.
- 23.5 Local MSEs registered with respective DICs, Khadi, Village, Cottage and Handicraft Industries, OSIC, NSIC shall be exempted from payment of earnest money and shall pay 25% of the prescribed performance security deposit.
- 23.6 Clause number 1 to 22 is also applicable to the Small Scale Industry Units of the State of Odisha.



SECTION -IV
SCHEDULE OF REQUIREMENT

SL. No	Name of the EIF	Technical Specification
1	Head Light	<p>Purpose: Coaxial luminaire provides shadow free illumination for improved efficiencies</p> <p>Light weight and comfortable head band options : Yes</p> <p>Supply of accessory like charger,cable & batteries : Yes</p> <p>Color of light : Cool day light</p> <p>Brightness (Lumen): 40</p> <p>Color Temperature (Degree Kelvin): 4500 degree K,</p> <p>Minimum LED Life (Hours): 20000</p> <p>Nature of focusing: Spot</p> <p>Portable compact design with no wires- into shirt pocket: Yes</p> <p>Charging time (Hours): 2-4Hours</p> <p>Color rendering index (CRI): 90</p> <p>Type of battery : Alkaline</p> <p>Run time (Minutes): 60</p> <p>ON/OFF control: Yes</p> <p>MINIMUM Spot diameter (mm): 10</p> <p>MAXIMUM Spot diameter (mm) : 60</p> <p>Standards: Product complies with: IEC 60601-1 and IEC60601-2-41 :Yes Model Should be CE/BIS certified :Yes Manufacturer should be ISO13485 certified: Yes</p>
2	Ear Specula	<p>Shape: Oval cone design</p> <p>Material: Stainless Steel, antimagnetic, acid-resistant</p> <p>Supply:Set of 4nos.Diameter: 3mm, 4mm,5mm& 7mm respectively.</p> <p>Sterilization / Disinfection:Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
3	Nasal Speculum	<p>Type: Thudichum</p> <p>Product: Nasal Specula</p> <p>Profile:Set of 3(Adult sizes-4&5 & pediatric sizes-3)</p> <p>Specialty: Rhinology Instruments</p> <p>Material: Stainless Steel(ASI410/420)</p> <p>Surface Finish: Satin</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark</p>

Me

		and the words 'Stainless Steel' or letters 'ss' Manufacturer should be ISO 13485 certified Product should be CE/BIS approved
4	Mouth Mirror	Type Mirror With Handle Shape of Mirror: Round Diameter of Mirror (mm) set :18 millimeter & 20millimeter Material of housing of the mirror: Medical Grade Stainless Steel(316/ASi410) Anti Fog Coating Yes Thick Non-Slip Handle for perfect grip: Yes Mirror should be With minimum 10 Cm Length of Handle: Yes Mirror should be detachable from the handle: Yes Extra light and handy for more fatigue-free working : Yes GENERAL FEATURES Product Description: Dental Mouth Mirror or Dentist's Mirror Clinical Purpose: For allowing indirect vision by the dentist, reflecting light onto desired surfaces and retraction of soft tissues Disposable or Reusable: Reusable Sterile :Yes Autoclavable: Yes PACKAGING:Individually Packed CERTIFICATIONS & REPORTS Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification at the time of supply: YES Product certification: Manufacturer should be ISO13485 certified Product should be CE /IS approved WARRANTY & MAINTENANCE Warranty (Yrs) :Replacement warranty of 1year
5	Tongue Depressor	MAYO TONGUE DEPRESSOR Types shape Flat with round ends Stainless Steel(ASI410/420) Surface Finish: Polish Sterilization / Disinfection: Completely reusable and fully autoclavable. Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss' Manufacturer should be ISO 13485 certified Product should be CE/BIS approved Child Size 140mm Adult Size 200mm

63

6	Foreign Body Removal Forceps	<p>Name: Alligator Type: Forceps Size: 5 1/2" Surface Finish: Polish Curvature: Straight Jaws with angled Shanks Working Surface style: Horizontally Serrated Material: Stainless Steel(ASI410/420) Sterilization / Disinfection: Completely reusable and fully autoclavable. Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'SS' Manufacturer should be ISO 13485 certified Product should be CE/BIS approved</p>
7	Otoscope	<p>Diagnostic Otoscope rechargeable set is to be supplied in Leather / hard case preferably HIP (High Impact Plastic) with internal soft cushion material for easy portability and protection : Yes Light source : LED bulb Lamp Hour: 20,000 hours minimum /2years warranty of free replacement Number of Spare bulbs to be provided along with the otoscope:0 Speculum adapter to be provided : Yes Number of sets of different sizes of Ear Specula to be provided along with otoscope : 2nos (One for Adult & one for pediatric) Disposable : No, It should be reusable Removable Otoscope head : Yes Rotatable lenses : Yes Rechargeable handle: Yes Provision for variable light intensity : Yes CRI: Minimum 90 Color temperature: 4300K minimum CONSTRUCTION/FUNCTIONAL FEATURES Material of the device body: Medical Grade Stainless Steel/Medical grade ABS body Instrument Head Matt-black from inside: NA Fibre optics for Cool Light Transmission: Yes Magnification: 3x/3.5x Wide angle viewing lens allowing instrument under Magnification: Yes Provision of sealed system for Pneumatic otoscopy with detachable pneumatic bulb : NA Voltage Rating of the bulb (Volts)(Min) : 2.5/3/3.5 Type of rechargeable battery: Li-ion/Ni-Cd/AA Capacity of the Battery (mAh): NA Battery Voltage(Volts) : 2.5/3/3.5 Continuous runtime of the battery (Minutes): Minimum 60minutes Charger to be provided along with the device: Yes</p>

		<p>Weight (gms):200-300</p> <p>STANDARD</p> <p>Conformity to Standard : EU-CE/USFDA/BIS</p> <p>Manufacturer Should be ISO13485 certified</p>
8	Jobson Horn Probe	<p>Jobson Horne Probe size: 5.5"</p> <p>Features: double end one side screw and other side round loop.</p> <p>Rust free sturdy construction for better grip.</p> <p>A light-weight, flexible and strong.</p> <p>Probes designed as a dual-purpose instrument with Curette loop at one end and a threaded section at the other for holding wrapped cotton wool.</p> <p>Reduced patient trauma due to smooth edges.</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
9	Tuning Fork	<p>Nickel-plated steel, material thickness 8 mm, Frequency: 128 Hz / 512 Hz and 1024 Hz.</p> <p>Sterilization / Disinfection: Completely reusable and fully autoclavable.</p> <p>Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss'</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be CE/BIS approved</p>
10	Noise Maker	<p>Bell made of brass. Minimum length -8.5cm and minimum weight -70gram. Should be child friendly.</p> <p>Manufacturer should be ISO certified</p>
11	Mouth mirror	<p>Type Mirror With Handle</p> <p>Shape of Mirror: Round</p> <p>Diameter of Mirror (mm) set :18 millimeter & 20millimeter</p> <p>Material of housing of the mirror: Medical Grade Stainless Steel(316/ASi410)</p> <p>Anti Fog Coating Yes</p> <p>Thick Non-Slip Handle for perfect grip: Yes</p> <p>Mirror should be With minimum 10 Cm Length of Handle: Yes</p> <p>Mirror should be detachable from the handle: Yes</p> <p>Extra light and handy for more fatigue-free working: Yes</p> <p>GENERAL FEATURES</p> <p>Product Description: Dental Mouth Mirror or Dentist's Mirror</p> <p>Clinical Purpose: For allowing indirect vision by the dentist, reflecting light onto desired surfaces and retraction of soft tissues</p> <p>Disposable or Reusable: Reusable</p>

		<p>Sterile :Yes Autoclavable: Yes PACKAGING: Individually Packed CERTIFICATIONS & REPORTS Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification at the time of supply: YES Product certification: Manufacturer should be ISO13485 certified Product should be CE /IS approved WARRANTY & MAINTENANCE Warranty (Years) :Replacement warranty of 1year</p>
12	Periodontal probe	<p>Double ended periodontal probe. Provides accurate pocket depth measurement – and information on sub gingival calculus and other root surface unevenness Ball end of ø 0,5 mm - Increases tactile sensitivity - Does not damage tissue or pierce pocket bottom Sterilization / Disinfection: Completely reusable and fully autoclavable. Each instrument shall be embossed/etched with manufacturer's name, initials or recognized trade-mark and the words 'Stainless Steel' or letters 'ss' Manufacturer should be ISO 13485 certified Product should be CE/BIS approved</p>
13	Tooth Model	<p>Enlarged mouth model with toothbrush to demonstrate correct brushing and dental care. This model is three times life size and has normal anatomy. It's great for teaching proper brushing and flossing techniques. This teeth care demonstration model features a mouth with 32 teeth at three times life-size, for closer observation European CE Declaration according to 2014/53/EU and European Directive on Medical Devices Manufacturer's Quality Certification according to ISO 13485 Yes Packing Each model should be packed individually. Warranty 1 year</p>
14	Torch	<p>Should provide even field of light Bright and natural white light by high performance LED. LED burns at least 20,000 hours. Metal /ABS casing. Easy to use with on/off switch. Includes blade holder, batteries and nylon case. Designed for durability, comes with a 2-year warranty including LED Adjustable spot size from 2-5CM Manufacturer should be ISO certified Product should be CE/BIS approved</p>

15	Tooth Extraction Forceps Set(Adult)	<p>GENERAL FEATURES</p> <p>Product description: Dental Forceps for extraction of tooth</p> <p>Purpose For dental extraction of tooth</p> <p>Utility Dental surgeries of Adult</p> <p>PRODUCT INFORMATION</p> <p>Items in Extraction forceps set: Upper anterior, Lower anterior, Lower molar (Right), Lower molar (Left), Upper molar (Left), Upper molar (right), upper premolar, lower premolar.</p> <p>anatomically-designed beaks for a sure, effective grip: Yes</p> <p>Thick and non-slip handle : Yes</p> <p>Longevity and corrosion resistant material: Yes stainless steel (ASI 410/420)</p> <p>Cleaning, disinfection and sterility: All instruments autoclavable</p> <p>DIMENSIONS & MATERIAL</p> <p>Minimum Handle length (Cm) :10</p> <p>Material of all instruments :Surgical Grade Stainless steel(ASI410/420)</p> <p>Rockwell hardness (HRC): 1</p> <p>Tensile strength (Mpa) : 1</p> <p>STANDARD</p> <p>Product conformity to standard ISO 13485</p> <p>Product should be CE/BIS approved</p> <p>PACKING MODE</p> <p>All the instruments along with user manual, warranty card, Dehumidifier, Cleaning brush, Cleaning cloth etc packed in a carrying case : Yes</p> <p>Packing Each carrying case packed Individually</p> <p>CERTIFICATIONS & REPORTS</p> <p>Submission of Test Report on form 39 or from Central Government /NABL/ILAC accredited Lab or Manufacture's in-house Test Report to prove the conformity to declared specification at the time of supply</p> <p>Yes</p> <p>Product conformity certificate is to be provided to the buyer at the time of supply Yes</p> <p>WARRANTY</p> <p>Minimum Warranty (yrs) : 5 years replacement</p>
16	Near Vision Chart	<p>Name of Tool : Lea Symbols Near Vision Card/ISIHARA Near Vision Chart</p> <p>Type : "16 inches/40 centimeter Lea Near vision chart"</p> <p>Objective : To fulfill the criteria to be a good vision for children by measuring near visual acuity</p> <p>Use : "To assess the child's functional vision at near distances"</p> <p>Utility: Pre-school children of 3 to 5 years age group</p> <p>PRODUCT INFORMATION AND TESTING</p>

		<p>"Front side of the Lea symbol cards printed with proportionally spaced (log MAR) lines" : Yes "Back side of Lea symbol card printed with 25% and 50% spacing" : Yes "The card contains very familiar 4 symbols like circle, square, house and apple" : Yes All optotypes should be similar legibility : Yes Each line should have optotypes size ranging from 20/400 to 20/10 (6/120 to 6/3) equivalent : Yes Detection of mild amblyopia is possible with closed spacing of the symbols on Lea symbol card : Yes Test distance (cm) : 40 Response key printed on the test card : Yes "Includes Student response or training card and instructions" : Yes Inclusive of conditioning flash card : Yes Can be used as wall hanging : Yes Material of the card "Non-tear waterproof material" Card size (cmxcm) : 20.3x25.4 PACKING Packing (including user instructions) : Packed in a wallet CERTIFICATIONS Certification Available : Yes Manufacturer Quality certification (ISO) Product approval certificate for Clinical Use</p>
17	Color Vision Chart	<ul style="list-style-type: none"> • Individuals with color vision defect should see a different figure from individuals with normal color perception. • Makes use of the peculiarity that in red-green blindness, blue and yellow appear remarkably bright compared with red and green • Diagnostic plates: intended to determine the type of color vision defect. • International standard test chart books for color deficiency 38 plates with user manual • Book should be specially printed to measure incrementally higher color sensitivity and specificity <p>Manufacturer should be ISO certified</p>
18	Snellen's Chart	<p>Snellen chart with Red/Green bar to test visual acuity. Assessment distance 6m. Size: 23 x 35.5 cm</p>
19 20 & 21	Shoulder Wheel Over Head pully & Shoulder ladder	<p><u>Shoulder wheel, Overhead pulley, Shoulder ladder (set)</u></p> <p>Clinical use: Used for improving mobility & strength of shoulder girdle & rotator cuff muscles in case of frozen shoulder, paresis & paralysis cases. Technical Specification: A.Shoulder Wheel:</p> <ul style="list-style-type: none"> ➤ It should be a wall mounted one. ➤ The wheel for use of adult and pediatric

		<ul style="list-style-type: none"> ➤ The motion arc can be adjustable from 10 to 38 inches by adjusting the handle. ➤ The wheel shall be mounted on a two chrome plated height adjustable (8" to 26") rails. ➤ The resistance can be varied by turning the resistance knob. ➤ The manufacturer should be ISO certified <p>B. Over Head Pulley:</p> <ul style="list-style-type: none"> ➤ Heavy duty, medical grade, shoulders pulley exerciser for physical therapy use. ➤ Over the door metal bracket allows easy one hand setup. ➤ Units with a door strap require two hands, which is difficult with an injured shoulder. ➤ Easily adjustable cord length for any height and for use in both seating and standing position. ➤ The overhead pulley should have the provision of wall mounting. <p>C. Shoulder Ladder:</p> <ul style="list-style-type: none"> ➤ Wood Finger/Shoulder Ladder ➤ 32 vertical finger steps ➤ Solid wood with heavy topcoats ➤ Pre-drilled mounting holes ➤ The manufacturer should be ISO certified.
22	Walker	<p>Product type: Frame type, foldable walker Purpose : Walking training device for improving postural alignment while walking, overcoming musculoskeletal impairments and for improving mobility anterior support with less energy consuming Usage : Youth & OLD PRODUCT INFORMATION Posture control possible: Yes Light weight: Yes Wiped clean with a damp cloth: Yes Safety mechanism provided to prevent the user from slipping while walking : Yes Foldable for easy storage and transportation: Yes Anterior support Yes Forearm Supports with latex free flanged hand grips: Yes</p> <p>DIMENSIONS, MATERIAL & WEIGHT Material frame: Stainless steel tubular frame Height of walker with standard wheels (cm) : NA Height of walker with activity wheels (cm): NA Distance between hand grips (cm): 34 Frame width (Cm) : 58 to 60 Frame length (cm) : 52-59 Maximum user weight (kg): 100 Frame weight (kg) : 2.5 to 3.0</p> <p>PACKING MODE All the main parts and accessories are Individually</p>

3

=		<p>bubble wrapped and packed in a strong box to avoid transit damage Yes</p> <p>CERTIFICATIONS & REPORTS</p> <p>Submission of Test Report from Central Government /NABL/ILAC accredited Lab or Manufacture's in house Test Report to prove the conformity to declared specification at the time of supply Yes</p> <p>Certification Available: ISO for manufacturer</p> <p>Product should be CE/ BIS approved</p> <p>WARRANTY: 1 year</p>
=	23 Cervical traction (manual)	<p>Cervical Traction Kit is a complete apparatus designed to provide traction to the cervical and upper dorsal vertebrae.</p> <p>Cervical traction Kit includes the following:</p> <ul style="list-style-type: none"> ➤ Traction Pulley Bracket ➤ Cervical Traction Head Halter ➤ Cervical Traction Spreader Bar ➤ Traction Cord(Nylon rope)5meter. ➤ Traction Weight Bag with weights <p>Controlled continuous traction</p> <p>Easy removal and application</p> <p>Reduced frictional losses</p> <p>Durable and sturdy for a long life and multiple use.</p> <p>Can be used in sleeping posture. Pulley is ergonomically designed to fit any bed side. Soft padded head halter provides a comfortable interface for the traction, is easy to wear and use.</p> <p>Manufacturer should be ISO13485 certified</p> <p>Product should be CE/BIS certified.</p>
=	24 Exercise Bicycle	<p>i) Tubular steel frame on properly balanced legs with four rubber tips</p> <p>ii). Fitted with one hard rubber type wheel, standard chain and a socket</p> <p>iii). Seat should be adjustable</p> <p>iv). Should be fitted with a ball bearing resistance roller which permits controlled movement in riding</p> <p>v. LCD/LED display with speedometer.</p> <p>vi. Warranty: 3 Years</p> <p>Manufacturer should be ISO13485 certified</p> <p>Product should be CE/BIS certified</p>
=	25 Lumber Traction manual	<p>It strengthening broken bones, immobilization or relieving pressure on the skeletal system.</p> <p>Composition:</p> <p>Universal type</p> <p>Includes pelvic belt, spreader bar & 3 meter long cord.</p> <p>It contains traction water and sand weight bag</p> <p>traction pulley bracket</p> <p>the pelvic traction belt</p> <p>traction cord and 8 kg weight.</p> <p>Manufacturer should be ISO 13485 certified</p> <p>Product should be BIS/CE approved</p>



26	Gait Training Apparatus/ Parallel bar	<p>Clinical Use: It use for horizontal surface gait training, Coordination training of lower limb in various neurological conditions like paralysis, GBS, Parkinson etc.</p> <p>Technical Specification The parallel bar should be a height adjustable; plat form based one which should be very simple for easy accommodation of multiple patients of age group. The handrails should be in single piece, circular in design stainless steel ribbed pipe of minimum diameter 1 1/2". Both the end of the handrails should be fitted with bumpers. The Uprights should be made of heavy gauge square 1 1/2" steel tubes. All parts should be powder coated except the handrail. The handrail should single piece stainless steel pipe The uprights are to be fitted on a 1 1/2" thick hard plywood base water and termite resistance. Both end of this platform should be curved slope for obstruction free. The platform should be stain finish. Both the end of the plat form should have two anti-slip threads for none skidding. Safety treads at both ends of platform should be provided for safety of the patient when take turn. Models make it safer for patient to turn</p> <p>15.3: Minimum dimension of the structure: Length of the bar: 10feet Width of the bar: 25" – 28" Height adjustment of the Bar: 26" – 39" The manufacturer should be ISO approved.</p>
27	Hydro Collator Unit	<p>Clinical Use: A moist heat modality use as a superficial to medium penetration thermotherapy modality. Clinically use for chronic pain management & joint stiffness cases.</p> <p>Technical Specification:</p> <ul style="list-style-type: none"> ➤ Water tank made up of Stain less steel inner & outer Cabin (20-25 Gauge thickness) ➤ High grade thermally insulated ➤ Static/Movable base ➤ Top lid of stainless still, thermally insulated with Fibre handle. ➤ Product Type:Table Top ➤ Dimensions: NA ➤ Tank capacity: 10- L ➤ Temperature range: 50-90 degrees Celsius ➤ Thermostatic temperature control (50 - 90 degree C) - Auto cut-off ➤ Thermal cut-out temperature ➤ Temperature accuracy: +/- 10% ➤ Heat-up time to 90 degree Celsius: in 3 hrs.

45

		<p>➤ Cool-down time from 90 degrees Celsius: 2 hrs.</p> <p>Power supply Mains power: 220-230 V, 50/60 Hz Power consumption: 1000Watt</p> <p>Safety Standard Electrical safety class: Class 1, type B Safety tests: Conforms to IEC 60601-1</p> <p>Quality Standard: The model should be CE/BIS approved. The manufacturer should be ISO13485 certified</p> <p>Accessories must include:</p> <p>➤ Hydro collator Moist Heat Hot Pac : Standard Size-1, Over size-1, Cervical Standard size-1, Hydro collator Knee or Shoulder HotPac-1.</p> <p>➤ Cotton Towel: 4 pieces.</p>
28	Traction Bed	<p>i Traction Bed – 4 Fold ii. Size : 6 (L) x 2.5 (W) x (H) 3 feet iii. For horizontal cervical and lumbar traction. Should have complete with Storage Shelf & a Flexion Stool Manufacturer should have ISO certified. Product should be CE/BIS Certified</p>
29	Ear Syringe	<ul style="list-style-type: none"> • Medical Ear syringe with 100 ml volume • Dosing of the spray jet • German Quality Steel • 18 cm long • With splash guard and 4 attachments
30	Noise Maker	Rattle toy made with food grade plastic
31	Tuning Fork	<p>Of frequency 512Hz Made up of good quality rust free stainless steel Should have minimum decay time of 40 sec. footplate Should be present</p>
32	Periodontal probe	Made with stainless steel tip of 13 mm in length and a blunt tip end with a diameter of 1mm.
33	NSV Kits	Each Kit
34	IUCD Kits	Each Kit
35	Minilap Kits	Each Kit
36	PPPIUCD Forceps	Each Kit
37	Drugs for Safe Abortion (MMA)	Each kit
38	Salt Testing kit	Each kit
39	Multi-Channel Monitors (Multipara patients Monitor 5 parameter)	Each
40	ECG (6 Channel)	(6 Channel) Each
41	ECG Electrocodes	Set of Six (Each Set)
42	ECG Clamp	Set of (Four) (Each Set)
43	Radiant Warmer	Each
44	Phototherapy	Each
45	Bed Side Locker	Each
46	I.V. Stand	Each
47	Oxygen Concentrator	Each

48	New born Resuscitation Trolley	Each
49	Suction Machine	Each
50	Adjustable Walker	Each
51	BP Apparatus (adult)	Each
52	Stethoscope (Adult)	Each
Bio Medical Waste Management		
53	Colour coded bin	Red/Yellow/Blue/Black (50 lit)
54		Red/Yellow/Blue/Black (30 lit)
55		Red/Yellow/Blue/Black (20 lit)
56		Red/Yellow/Blue/Black (10 lit)
57	Waste bin frame	50 LIT
58		30 LIT
59		20 LIT
60		10 LIT
61	Gerry can	White Colour puncture proof container 5 Ltr
62	Gerry can	White Colour puncture proof container 20 ltr
63	Gerry can	White Colour puncture proof container 10 ltr
64	Waste disposal trolley	50 Ltr
65	Wheel barrow	Each
66	Needle cutter / destroyer (electrical) metal body	Each
67	Needle cutter / destroyer (electrical) abs body	Each
68	Protective gloves	Each Pair
69	Protective apron	Each
70	Protective mask (disposable)	Pack of 100
71	Protective mask (cotton)	Each
72	Protective goggles	Each
73	Protective cap (disposable)	Pack of 100
74	Protective cap (cotton)	Each
75	Phenyl (black)	5 ltr Jar
76	Phenyl (white)	5 ltr Jar
77	Hand washing liquid	500 ml Bottle
78	Floor mopper	Each
79	Gum boot all size (size 8/9/10)	Pair
80	Disposable polythene bag red/yellow/blue/black) 50 ltr, 30 ltr, 20 ltr & 10 ltr	Per Kg
81	Hub cutter	Each
82	Sodium hypochloride solution 5%	5 ltr Jar
83	Sodium hypochloride solution 10%	5 ltr Jar

N.B: The quantity of requirement may increase or decrease as per the requirement during the rate contract period.

SECTION –VI

ANNEXURES

(Technical Bid, Price Bid and Agreement)

CHECK LIST
(To be submitted in Cover A Technical Bid)

Note : The documents has to be arranged serially as per the order mentioned in the check list

Please put ✓ in the respective box

COVER – A (TECHNICAL BID) DOCUMENTS : SUBMITTED OR NOT

1.	List of Item (s) – Annexure II	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
2.	Tender document Fee	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	=
3.	Earnest Money Deposit	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
4.	Details of Manufacturing Unit / contract person Liaisoning agent / servicing centre (Annexure III)	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
5.	Declaration form (Annexure -IV) signed by the Tenderer & affidavit before Notary Public / Executive Magistrate	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
6.	Authorization Format (Annexure – V) (for distributor/Importer) (Item wise)	Page <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
7.	Proof of Annual turnover for preceeding 3 financial years (for authorized distributor) (Annexure - VI)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	=
8.	Performance Statement (<i>Item wise</i>) during the last three years (Annexure -VII)	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
9.	Copies of Purchase order (<i>Item wise</i>) in support of the performance statement	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
10.	Deviation/No deviation Statement (<i>Item wise</i>) & details of technical specification (Annexure -VIII A & B)	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
11.	Leaflets/Technical Brocheures of the Products offered (<i>Item wise</i>)	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
12.	Copy of Import license (In case of Importer)	Page No. <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	=

13. Copy of Valid ISO Certificate

Page		Yes		No	
No.					

14. Attested Photocopy of Up-to-date
CE / US FDA/BIS Certificate (*Item wise*)
(As per technical specification)

Page		Yes		No	
No.					

15. Attested Photocopy of Up-to-date
IEC Certificate (**Item wise**)
(As per technical specification)

Page		Yes		No	
No.					

16. Photocopy of PAN

Page		Yes		No	
No.					

17. Photocopy of GST

Page		Yes		No	
No.					

18. Copy of original Tender and schedules, duly
signed by the Tenderer

Page		Yes		No	
No.					

M

Annexure II
(Refer Clause No. 3.2)

(To be submitted in *Cover A -Technical Bid*)

LIST OF ITEM(S) QUOTED

Sl.	Name of Item(s)	Name of Manufacturer	Make	Model Name	*Details of offered product at Page No. (s)
1					
2					
3					
4					

Signature of the Tenderer :

Date :

Official Seal:

5

ANNEXURE – III
(Refer Clause No. 3.5)

(To be submitted in *Cover A -Technical Bid*)

**DETAILS OF THE TENDERER & LOCAL CONTACT PERSON/
SERVICE CENTRE**

	Corporate Office (The address in which the purchase orders and payment details will be communicated)	Address of Local Contact Person / Branch Office / Zonal Office / Address of Service Centre if any, in Odisha.
Name & Full Address		
Telephone Nos., landline		
Mobile		
Fax		
E – Mail		
Date of Inception	(Copy of Certificate of incorporation of Manufacturer)	
Name of the issuing authority		
Import License (in case of Importer only)		
GST validity	(Furnish photocopy of GST)	
PAN	(Furnish photocopy of GST)	
Details of the Service Centre Facilities		

**Signature of the Tenderer :
with seal**

Date :

Official Seal :

5

ANNEXURE – IV

(Refer Clause No. 3.6)

(To be submitted in *Cover A -Technical Bid*)

DECLARATION FORM

I / Wehaving
My / ouroffice
at.....do declare that I / We have
carefully read all the terms & conditions of tender of the _____, Odisha for the
supply of _____ . The approved rate will remain
valid for a period of one year from the date of approval. I will abide with **all the terms &
conditions** set forth in the **Tender Reference no.** _____

I/We do hereby declare I/We have not been de-recognised / black listed by any State
Govt. / Union Territory / Govt. of India / Govt. Organization / Govt. Health Institutions for
supply of Not of Standard Quality (NSQ) items / non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit
and or Performance Security Deposit and blacklist me/us for a period of 3 years if, any
information furnished by us proved to be false at the time of inspection / verification and not
complying with the Tender terms & conditions.

I / We do
hereby declare that I / we will supply the _____ as per the terms, conditions &
specifications of the tender document. I / we further declare that I / we have a service centre /
will establish a service centre within one month of installation of the item in Odisha.

Signature of the bidder :

Seal

Date :

Name & Address of the Firm:

Affidavit before Executive Magistrate / Notary Public.

ANNEXURE – V
(Refer Clause No. 2.2(i))

(To be submitted in *Cover A -Technical Bid*)
MANUFACTURER'S AUTHORISATION FORMAT

To

The Chief District Medical &PHO,
KHORDHA -752055, Odisha.

Ref: Tender No. _____ Dated _____ for _____.

Dear Sir,

We, _____ are the manufacturers of _____
_____ (name of item(s) and have the manufacturing factory at _____
_____.

1. Messrs _____ (name and address of the agent) is our authorized distributor for sale and service of _____ (name of item(s))
2. We confirm that **no supplier or firm or individual other than Messrs** _____ (name of the above distributor) is authorized to submit a tender and enter into a contract with you for the above goods manufactured by us.
3. We also extend our full warranty i.e 2 years comprehensive warranty as required by the purchaser.
4. We undertake that we have adequate infrastructure and spare part support to carry out the warranty services and do accept to provide uptime guarantee of 95% as per this tender clause No. 13.1.

Yours faithfully,

(Signature with date, name and designation)

For and on behalf of Messrs _____
(Name & address of the manufacturers)

Seal

Note :

1. This letter should be on the **letterhead** of the **manufacturer** and should be signed by a person having the power of attorney to legally bind the manufacturer.
2. Original letter shall be attached to the technical bid.

62

(To be submitted in **Cover A -Technical Bid**)

ANNEXURE – VI
(Refer Clause No. 3.8)

(To be furnished in the **letter head** of the Auditor/ Chartered Account)

ANNUAL TURN OVER STATEMENT

The Annual Turnover for the last three financial years of M/s _____ who is a Manufacturer /Distributor/Importer (Pl. tick whichever is applicable) are given below and certified that the statement is true and correct.

Sl.No.	Year	Turnover in (Rs.)
1.	2018 - 2019	-
2.	2017 - 2018	-
3.	2016 – 2017	-

Average Annual Turnover (for the above three years) in **(Rs.)** _____

Date:
Place:

Signature of Auditor/
Chartered Accountant
(Name in Capital)

Seal

Membership No.-

Registration No. of Firm

Note:

- To be issued in the **letter head** of the Auditor/Chartered Accountant mentioning the Membership no.
- Separate certificates** should be furnished for **different manufacturer/importer** in case the bidder (authorized distributor) is quoting products of **different**

manufacturers/importers. The authorized distributor has also to furnish his turnover statement in the above format.

=

"

"

"

(To be submitted in *Cover A - Technical Bid*)

Annexure VII (Refer Clause no. 3.9)

PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last **three years**)

ITEM WISE (Pl. Furnish separate performance statement itemwise if the bidder quote for more than one item & attach the order copies alongwith each performance statement)

Tender Reference No. :

Name of Tenderer :

Name of Manufacturer :

Name of the Item : _____

Sl.	Order placed by (Address of purchaser) (attach documentary proof)*	Order no. & Date	Item Name	Make & Model	Qty	Value of Contract (Rs.)	Date of Completion		Reasons for delay if any	Have the goods been functioning satisfactorily (attach documentary proof)**
							As per contract	Actual		
1										
2										
			Total Qty							

Signature and seal of the Tenderer

- * The documentary proof will be **copies of the purchase order (during the last 3 years)** indicating Contract No. and date along with a notarized certification (by the bidder) authenticating the correctness of the information furnished.
- ** The documentary proof will be certificate from the consignee/end user indicating Contract No. and date along with a notarized certification (by the bidder) authenticating the correctness of the information furnished.

(To be submitted in *Cover A -Technical Bid*)

Annexure VIII A
(Refer Clause No. 3.10)

STATEMENT REGARDING DEVIATIONS FROM TECHNICAL SPECIFICATIONS (IF ANY)

Following are the Technical deviations and variations from the purchaser's Technical Specifications.

Sl. No.	Item Name	Clause of Technical Specification	Statement of Deviations / Variations if any
1			
2			
..			
..			
..			

In case there is no deviation from technical specification, Pl. Mention *No Deviation*.

Signature of the Bidder

Name :

Date :

Place :

Seal

5

(To be submitted in *Cover A -Technical Bid*)

Annexure VIII B
(Refer Clause No. 3.10)

DETAILS OF TECHNICAL SPECIFICATION OF THE PRODUCT (S) OFFERED BY THE BIDDER

Sl. No.	Item Name	Make	Model	Detail Specification of the product(s) offered* (Pl. Describe the detail specification of the product offered) – Para wise compliance to the technical specification asked for.
1				
2				
..				
..				
..				

* Leaflets/Technical Brocheures of the product offered must be attached in support of the information provided above.

Signature of the Bidder

Name :

Date :

Place :

Seal

✓

ANNEXURE

(To be submitted in COVER B - PRICE BID)

42

To be submitted in Cover B – Price Bid

ANNEXURE-IX-
(Refer Clause No. 4.1 & 8.16)

FORMAT - PRICE SCHEDULE

Whether depot. inside Odisha, i.e. GST paid to Government of Odisha: Yes / No If Yes, Depot. =

Address :

Sl. No	Name of the Item	Specification (As per Section-V)	Rate per unit (exclusive of tax and other charges	Other incidental charges if any specify in details	Tax amount if any with detail (GST and ET if applicable)	Total amount (Rs.)
1						
2						
3						
4						

Price of each item (s) quoted should be mentioned separately by creating separate rows for each item

* CST/VAT & ET which will be chargeable on the price (3) shall be mentioned separately in column 7 above.

** The cost of turnkey shall only be quoted if any specific accessories/item is required for installation & commissioning. In case of turnkey, the details of accessories/item are to be mentioned.

Date :
Place :

Signature of the Bidder:
Name

1. Rates should be quoted both in figures & words for each item and if there is any discrepancy, the quoted rates in words will be taken for evaluation.
2. The tenderer has to mention the make / brand, specification, warranty of all the items in turn key.

h

ANNEXURES

(Agreement and Warranty Undertaking)

AGREEMENT

THIS AGREEMENT IS MADE AT _____ THIS THE DAY OF _____ 2019

BETWEEN

Name of the Supplier
with full address

Here in after called the “Supplier(s) _____” as 1st Party

AND

The C.D.M.&P.H.O., Khordha
Health & F.W. Department, GoO
Represented through the

_____ / **THE CONSIGNEE**
Hereinafter called the “PURCHASER” _____ as 2nd Party.

Relying on the documents and representation of facts connected to the issue of aforesaid parties to undertake the responsibilities of sell and purchase of following item(s) etc. with the terms & conditions hereinafter laid down.

And whereas the 2nd party “Purchaser(s)” is willing to purchase

Name of the Item:

Specifications: As per specifications laid down in the Tender terms & conditions

The Supplier(s) has agreed to sell the item(s) completed in all respects according to the Tender requirements and their / his offer dtd. _____ and the Supplier(s) has also agreed to install to make them operative at the destination mentioned in the Tender document with the following descriptions and their cost mentioned against each.

<u>Description of goods</u>	<u>Qty</u>	<u>Price</u>	<u>Total</u>
-----------------------------	------------	--------------	--------------

The price / cost of the item also include the followings in addition to above.

1. Insurance
2. Freight
3. Transportation
4. Customs duty / Excise duty
5. Charges for documents, instructions manual, tools
6. F.O.R. at the destinations mentioned in the consignee list
7. Maintenance of the system includes all accessories supplied and their spare parts required during comprehensive warranty period of two year at free of cost from the date of successful installation and satisfactory functioning of the system at the site.

8. Installation and commissioning of the system by the Supplier's engineer at site.
9. Any other charges including loading & unloading, packing & forwarding etc. will be paid by the Supplier(s) till the completion of the installation and turnkey job if any.

TERMS AND CONDITIONS:-

PRICE :

Only the price quoted by the Supplier(s) in his / their financial proposal will be the price for payment and no other price escalation will be allowed at any circumstances.

SUPPLY

The supply should be completed within 30 days from the date of issue of purchase order unless otherwise specified. If no supply is received even after 30 days or 58 days with liquidated damage from the date of issue of the purchase orders , such orders will stand cancelled automatically without further notice. Penalties shall also thereafter be applied to the tenderer as specified under Penalty. The approved firm shall also suffer forfeiture of the EMD and Performance Security Deposit.

LIQUIDATED DAMAGE :

The C.D.M.O. of the concerned district may allow extension for a maximum period of 4 (four) weeks (28 days), after the stipulated date of supply (i.e. 30 days) with a penalty of 0.5% which will be deducted from the purchase order value as "Liquidated Damage", for each week (7 days) of delay upto a maximum 2% on the value of the goods.

If the supplier fails to complete the supply within the extended period, i.e. 30 days after being allowed by the purchaser, no further purchase order will be placed to the firm for the said item including forfeiture of the Performance security and the concerned firm will be blacklisted for two (2) years from the date of issue of letter for the said item.

TERMS FOR PAYMENT :-

A. The payment(s) shall be made by purchaser in Indian currencies. **No advance payments towards cost of Instruments and Items etc. will be made to the tenderer. No payment will be made to the supplier if he has not deposited the unconditional performance security in shape of Bank draft amounting to 10% of the purchase order value which will be deposited with the O/o of the concerned CDMO of the district.**

90% of the cost of the item (excluding CMC Cost)+100% turnkey +100% tax shall be released to the supplier on receipt of stock entry certificate and installation certificate (that it is working) from the consignee. The remaining ten percent (10%) will be released after satisfactory working certificate received from the consignee after 6 weeks of installation subject to submission of performance security (10% of P.O. Value). For this purpose the supplier will submit two bills, one 90% of the cost of the item+100% turnkey +100% tax and the other for the remaining ten percent (10%) of the cost of the item.

B. Before release of payment the supplier has to submit the signed agreement, warranty documents of item and turnkey job to the consignee. The undertaking as per Annexure – XI & XII will also be submitted to the consignee with photocopies to the purchaser.

TURNKEY JOB:

The room/space will be provided by the purchaser fittings inside the room for installation & commissioning of the item and accessories will be provided by the supplier without any extra cost (This cost is to be included in the cost of turnkey).

UP-TIME BALANCE :

The Supplier (s) shall provide guarantee 95% uptime i.e. 41610 (95% of 43800 Hours) during comprehensive warranty period. The up time guarantee will be 95% as calculated here under i.e. 8322 hours per annum.

1 year – 365 days (24 working hours per day)

Total working time per annum – 365 days x 24 hrs = 8760 hrs.

Up time guarantee - 0.95 x 8760 hrs. = 8322 hrs. per annum.

For 2 years warranty = 8322 x2 = 16644Hours

Any uptime less that specified above will be compensated by the Supplier(s). The consignee shall maintain a log-book in the format provided by the Supplier(s) which will indicate usage of the item every day and for calculation of up-time.

DOWNTIME PENALTY CLAUSE:

During the Guarantee / warranty period, desired uptime will be 95% of 365 days (24 hour) if downtime exceeds 5%, penalty in the form of extended warranty, double the number of days for which the item goes out of service will be applied. The vendor must undertake to supply all spares for optimal upkeep of the item for TWO YEARS from the date of installation at the site.

In no case item should remain in non-working condition for more than 7 working days.

The manufacturers or their agents are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.

INSTALLATION AND DEMONSTRATION :

The installation and demonstration of the item shall be done by the Supplier(s) at free of cost at the installation site of the respective institutions.

NZ

TRAINING :

Not Applicable

INCIDENTAL SERVICES :

The Supplier(s) shall abide by the terms and conditions under incidental services & the installation of Instrument / Item at the destination point (Door Delivery) of consignee and demonstrate the item in working condition to the receiving authority.

Furnishing of tools required for assembly and / or maintenance of the supplied Instruments / Items.

Furnishing of detailed operations and maintenance manual literatures for each appropriate unit of supplied Goods.

Performance or supervision or maintenance and / or repair of the supplied Goods, for a period of two (2) years i.e. the warranty period, provided that this service shall not relieve the Supplier of any warranty obligations under this contract.

The successful supplier shall replace any part or whole system as may be necessary in the event of damage during transit or found damaged on arrival or during installation of the system or if found not in conformity to the specifications at his / their own cost.

The tenderer should furnish an undertaking to the effect that he / they should take responsibility after sales service of the items / instruments to be supplied by him / them and to provide spare parts for up keeping the Items / Instruments for a minimum period of 5 years from the date of installation.

The price of the instruments / items is inclusive of warranty for a period of 2 (two) years commencing from the date of installation.

SPARE PARTS :

The supplier will provide all the spare parts, repairing & maintenance by its trained personnel after the warranty period (3 years).

COMPREHENSIVE WARRANTY :

This warranty shall remain valid for two (2) years from the date of installation & commissioning of the item / item & must be submitted at the time of installation to the consignee with a photocopy to the purchaser.

The warranty will cover all the parts of the item or item and any replacement or repair required within the warranty period will be provided by the supplier free of cost at the destination point (Installation point). The supplier will take back the replaced parts / goods at the time of their replacement. No claim whatsoever shall be on the purchaser for the replaced parts / goods thereafter. No traveling allowances or transportation cost will be paid by the purchaser during warranty period.

The Supplier warrants that the Goods supplied under this contract are new, unused, of the most recent or current models and they incorporate all recent improvements in design and materials (even if the advanced facilities are not mentioned in our product specification). The Supplier further warrants that all Goods supplied under this contract shall have no defect arising from design, materials or workmanship (except when the design and / or material is required by the Purchaser's Specifications)

or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the place of final destination.

The Purchaser / consignee shall promptly notify the Supplier in writing / Fax / Telephone of any claims arising under this warranty.

Upon receipt of such notice, the Supplier shall with all responsible speed will repair or replace the defective goods or parts thereof without cost to the purchaser to maintain its UP TIME offered in the beginning of purchase otherwise penal provisions shall apply if the supplier fails to keep up its UP TIME.

If the Supplier, having been notified, fails to remedy the defect(s) within 10 days, the Purchaser may proceed to take such remedial action as may be necessary, like forfeiture of EMD or recovery from security deposit the amount of loss (which will be decided by CDM&PHO-KHORDHA) incurred by the purchaser.

GOVERNING LANGUAGE :

The contract shall be written in English language. English language version of the contract shall govern its interpretation. All correspondences and other documents pertaining to the contract which are exchanged by the parties shall be written in English.

DELIVERY OF DOCUMENT :

Four (4) copies of the Supplier invoice / bills showing purchase order number, good's description, quantity, unit price, total amount with stock entry certificate by the consignee.

Photocopy of the Insurance Certificate if any (The Original Certificate is to be given to the Consignee).

Attested Photocopy of Manufacturer's / Supplier's warranty certificate. (The original warranty certificate is to be submitted to the consignee at installation point).

INSURANCE :

For delivery of goods at site, the insurance shall be obtained by the Supplier(s) in an amount equal to 110% of the value of goods from "Warehouse" (final destination) on "All Risks" basis including natural calamities.

PACKAGING :

The supplier shall provide such packaging of the goods as is required to prevent their damage or deterioration during transit to their final destination. The packaging shall be sufficient to withstand without limitation rough handling during transit and exposure to extreme temperature, salt and precipitation during transit and upon storage. All primary packaging containers which come in contact with the item should strictly protect the quality and integrity of the Instruments & Items. Packing case size and weights should be taken into consideration, in case of remoteness of final destination and the absence of heavy handling facilities at all points in transit.

LS

The packaging marking shall show the description of quantity of contents, the name of the consignee and address, the gross weight of the packages, the name of the supplier with a distinctive number of mark sufficient for purposes of identification. Each package shall contain:

- i. a packaging note quoting the name of the purchaser
- ii. the number and date of order
- iii. nomenclature of the goods
- iv. schedule of parts for each complete item giving part number with reference to assembly.
- v. Name & address of the consignee
- vi. Name & address of the supplier.

TERMS OF CONTRACT :

The C.D.M.O.(Districts) / Directors (Directorates) as the case may be will be at liberty to terminate the contract either wholly or in part without assigning any reason. The tenderers will not be entitled to any compensation whatsoever in such terminations.

PENALTIES :

If the successful tenderer fails to execute the agreement and / or deposit the required security within the time specified or withdraws his tender after acceptance of his tender owing to any other reasons, he is unable to undertake the contract, his contract will be cancelled and the Earnest Money Deposit deposited by him along with his tender shall stand forfeited and he will also be liable for all damages sustained by the CDM&PHO, Khordha by reasons of such breach, such as failure to supply / delayed supply including the liability to pay any difference between the prices accepted by him and those ultimately paid for the procurement of the articles concerned. Such damages shall be assessed by the CDM&PHO, Khordha whose decision is final & binding in the matter.

If any articles or things supplied by the tenderer have been partially or wholly used or consumed after supply and are subsequently found to be in bad order, unsound, inferior in quality or description or are otherwise faulty or unfit for consumption / use & rusted then the contract price or prices of such articles on full will be recovered from the tenderer, if payment had already been made to him or the tenderer will not be entitled to any payment for that item & no further order will be given to him. For infringement of the stipulations of the contract or for other justifiable reasons, the contract may be terminated by the CDM&PHO, Khordha and the tenderer shall be liable for all losses sustained by the CDM&PHO, Khordha in consequence of the termination which may be recovered from the Security Deposit made by the tenderer or other money due or become due to him.

Supply of sub-standard items or non - performance of tender terms & conditions will disqualify a firm to participate in the tender for the next five years.

ARBITRATIONS :

In the event of any dispute out of the contract, such dispute should be subject to the Jurisdiction of the Civil Court, Dist. Khordha or High Court, Odisha.

CHANGE OF TERMS AND CONDITIONS :

Any amendment to the terms & conditions and clauses of the agreement if required must be done in writing duly signed by the two parties.



IN WITNESS WHERE OF the parties herein to have set and subscribed their respective hands the day and year first herein above written.

Executed by Purchaser (s) / Consignee

Executed by Supplier(s)

In presence of (Witness)

In presence of (Witness)

2

ANNEXURE - XI

(Refer Clause No. 11.1 to 11.6, 13.1)

**WARRANTY / GUARANTEE /CMC UNDERTAKING
(to be submitted on Rs.50/- stamp paper)**

Tender ref. No. _____

Name of the item:

Date of Installation:

Name of the Consignee:

Name of the purchaser: _____ =

I / we / M/s _____

hereby declare that

- i. I / we do Accept / Agree for the warranty / guarantee (2 years Warranty . (Spares + Labour) as per this tender clause No. 11.1 to 11.6.
- ii. I / we will not charge / quote any extra price on account of the above said warranty / guarantee.
- iii. I / we do accept / agree to provide uptime guarantee 95% as per this tender clause No. 13.1.
- iv. The 2 year comprehensive warranty is valid from dt. _____ to dt. _____.

Date:

Place:

Signature of the competent authority _____ =

on behalf of the company / firm.

Seal of the firm.

N.B: 1. To be attested by Notary Public

2. Only to be submitted by the approved supplier / tenderer to the consignee and a copy to the purchaser before release of payment.

13

UNDERTAKING

(to be submitted on Rs.50/- stamp paper)

Tender ref. No. _____

Name of the item:

Date of Installation:

Name of the Consignee:

Name of the purchaser:

Sir,

I / we _____ hereby
declare that

1. I / we am / are the manufacturers / authorized agents / distributors of _____
_____.
2. I / we do accept / agree for the all clauses including the warranty 2 years and payment terms and conditions of this tender.
3. I / we do hereby confirm that the prices / rates quoted are fixed and are at par with the prices quoted by me / us to any other Govt. of India / Govt. of Odisha Hospitals / Medical Institutions. I / we also offer to supply the stores at the prices and rates not exceeding those mentioned in the price bid.
4. I / we agree to abide by my / our offer for a period of 365 days from the date of approval of the tender.
5. I / we have necessary infrastructure for the maintenance of the item and will provide all the accessories / spares as and when required.
6. I / we also declare that in case of change of Indian Agent or for any other change, merger, dissolution solvency etc. in the organization of our foreign principles, we would take care of the Guarantee / warranty / maintenance of the itemry / item and have provided written confirmation for the same.

✓

7. I / we shall provide assistance to the consignee in clearance and delivery of store at consignee's stores / premises.
8. The demurrage / storage charges, if any, payable to the customs department, due to non-receipt of required documents in time by the hospital / delay due to incorrect entries, mistakes to the documents etc. shall be borne by me / us.
9. I / we have carefully read and understood all the terms and conditions of the tender and shall abide by them.
10. I / we undertake to get the item's repaired within 48 hours of receiving of the complaint from the indenting hospital / consignee failing which a penalty @ 1% of the cost may be recovered from the performance security before releasing the same to us after 2 years warranty period.

Signature of the witness
Name & address

Signature of the Tenderer
Name & address

Dated

Seal of the firm.

N.B: 1. To be attested by Notary Public

2. Only to be submitted by the approved supplier / tenderer to the consignee and a copy to the purchaser before release of payment.

